


PUMP PLATE SIZING CHART

PUMP MODEL	LENGTH (IN)	WIDTH (IN)	# OF PUMPS	WETWELL Ø (IN)
*	*	*	*	*


* TO BE COMPLETED BY DESIGN ENGINEER

PLAN



PLAN

PIPE BRACING DETAIL
SCALE: NTS



SECTION

BASE PLATE NOTES:

- 1) PLATE ANCHORS TO BE 3/4" DIAMETER, CONSTRUCTED OF 316 S.S. (H.A.S. ROD) w/ "HVA" ADHESIVE CAPSULE PROVIDING AN EMBEDMENT DEPTH OF 6 5/8". ACCEPTABLE: HILTI OR APPROVED EQUAL.
- 2) NO EXPANSION ANCHORS ALLOWED
- 3) PLATE SIZE: 6" LARGER THAN BASE ELL & PUMP VOLUTE TYP. ALL AROUND
- 4) BASE ELL BOLTS AND STUDS TO BE TYPE 316 STAINLESS STEEL.
- 5) BASE ELL BOLT HEADS SHALL BE WELDED TO UNDER SIDE OF STEEL PLATE.

SUBMERSIBLE PUMP BASE PLATE DETAIL
SCALE: NTS

PUMP STATION BRACING AND PLATE DETAIL

SEM. CO. OCT 2012
313

NTS